EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	2	"4095098".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:30
L8	2	"5134273".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:30
L9	502	356/213.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:47
L10	649	356/218.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:48
L11	123	356/221.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:48
L12	205	356/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:48
L13	209	356/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:48
L14	29	(I9 or I10 or I11 or I12 or I13) and (power\$1 near (control\$3 or modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:57

EAST Search History

L15	2055355	I14 and detect\$3 and comparat\$3 and voltag\$3 capacit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:50
L16	4	l14 and detect\$3 and comparat\$3 and voltag\$3 and capacit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:58
L17	97	("5821924" "5919263" "5946086" "5805277" "6038241" "6072573" "4778238" "4786140" "5450383" "5784091" "6038047" "6178023" "6246659" "4380769" "4399566" "4551828" "4875215" "5209567" "5250796" "5272513" "5475210" "5602814" "5640381" "5763870" "5773817" "5780971" "5790491" "5796483" "5834760" "5954659" "6097373" "6130900" "6175528" "6185024" "6215295" "4277145" "4329659" "4363114" "4383278" "4387297" "4400812" "4410992" "4496831" "4556893" "4562579" "4593186" "4594507" "4625315" "4632552").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/05/16 08:53
L18	5	I17 and detect\$3 and comparat\$3 and voltag\$3 and capacit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/16 08:58



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

B⊡#Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((power and (controller or modulator) and detect and voltage and capacitor)<in>metadata)" Your search matched 2 of 1348795 documents.

⊠e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

	•	to, 25 to a page, sorted by Relevance in Descending order.									
Search Options View Session History New Search		Modify Search ((power and (controller or modulator) and detect and voltage and capacitor) <in>metal Check to search only within this results set</in>									
								» Key		Display Format:	
								IEEE JNL	IEEE Journal or Magazine		
IEE JNL	IEE Journal or Magazine	view selected items Select All Deselect All									
IEEE CNF	IEEE Conference Proceeding	Digital control three-phase shunt active power filter with a new harmonic.	onic								
IEE CNF	IEE Conference Proceeding	extraction process Nishida, K.; Rukonuzzaman, M.; Nakaoka, M.;									
IEEE STD	IEEE Standard	Generation, Transmission and Distribution, IEE Proceedings- Volume 152, Issue 4, 8 July 2005 Page(s):529 - 538 Digital Object Identifier 10.1049/ip-gtd:20040756									
		AbstractPlus Full Text: PDF(599 KB) IEE JNL									
		2. Electronic ballast with constant power output controller for 250 W MF Park Jong-Yeon; Jung Dong-Youl; Industrial Electronics, 2001. Proceedings. ISIE 2001. IEEE International Sy Volume 1, 12-16 June 2001 Page(s):46 - 51 vol.1 Digital Object Identifier 10.1109/ISIE.2001.931753									
		AbstractPlus Full Text: PDF(466 KB) IEEE CNF Rights and Permissions									

indexed by inspec"

Help Contact Us Privacy &

© Copyright 2006 IEEE -